

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/471,877	12/23/1999	ADRIAN SFARTI	0100.9910145	8063	
75	90 11/09/2004		EXAM	INER	
Christopher J Reckamp			PAN, DANIEL H		
Vedder Price Kaufman & Kammholz 222 North LaSalle Street			ART UNIT	PAPER NUMBER	
Chicago, IL 6				2183	

DATE MAILED: 11/09/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/471,877	SFARTI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Daniel Pan	2183				
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet with the	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REF THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a relif NO period for reply is specified above, the maximum statutory perions - Failure to reply within the set or extended period for reply will, by stated any reply received by the Office later than three months after the main earned patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a reply be ti eply within the statutory minimum of thirty (30) da od will apply and will expire SIX (6) MONTHS from ute, cause the application to become ABANDONI	mely filed ys will be considered timely. n the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 21	June 2004.					
3) Since this application is in condition for allow						
closed in accordance with the practice under	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1-33</u> is/are pending in the application	☑ Claim(s) <u>1-33</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdo	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)⊠ Claim(s) <u>7-13 and 20-27</u> is/are allowed.						
6)⊠ Claim(s) <u>1-6,14,18,19 and 28-33</u> is/are rejec	Claim(s) <u>1-6,14,18,19 and 28-33</u> is/are rejected.					
7)⊠ Claim(s) <u>15-17</u> is/are objected to.	Claim(s) <u>15-17</u> is/are objected to.					
8) Claim(s) are subject to restriction and	I/or election requirement.					
Application Papers						
9)☐ The specification is objected to by the Exami	ner.					
10)⊠ The drawing(s) filed on 23 December 1999 is	☑ The drawing(s) filed on <u>23 December 1999</u> is/are: a)☑ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the	ne drawing(s) be held in abeyance. Se	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the corre	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) ☐ The oath or declaration is objected to by the	Examiner. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the prapplication from the International Bure * See the attached detailed Office action for a line	ents have been received. ents have been received in Applicationity documents have been received in PCT Rule 17.2(a)).	tion No red in this National Stage				
AM-sharaway .						
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summar	v (PTO-413)				
2) Notice of References Clied (PTO-092) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D	Date				
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/C Paper No(s)/Mail Date	5) Notice of Informal (6) Other:	Patent Application (PTO-152)				

Application/Control Number: 09/471,877 Page 2

Art Unit: 2183

1. Claims 1-33 are presented for examination. Upon further review and new search, Sakugawa (6,684,278) is cited and used for showing the teaching of the processing the memory request at memory rate (see discussion below). Applicant is welcome to provide feedback in the next response.

- 2. Claims 1-4, 14,18,19, 28-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wandler et al. (5,991,833) in view of Sakugawa (6,684,278).
- 3. As to claims 1,28, Wandler disclosed a system, comprising t at least:

 a) integrating a central processing unit [CPU] with a north bridge [north bridge] on to a single substrate [10] (see col.6, lines 5-7) that the central processing unit [25] is directly coupled to the north bridge via internal bus [17] (see fig.2 [25][50][17]); b)providing memory access requests from the central processing unit to the north gate at a rate of the CPU (e.g. see fig.2 [CPU Bus 17], see the memory accesses in col.6, lines 17-22);
- c)buffering, in the north bridge [50], the memory access requests (e.g. see fig.4 [508][510] see the CPU-memory read/write queues for storing the requests in col.11, lines 55-67, col.12, lines 1-25);
- d)processing by north bridge the access requests (see fig.4 [508][510] see the CPU-memory read/write queues for storing the requests in col.11, lines 55-67, col.12, lines 1-25).

Page 3

Art Unit: 2183

- 4. Wandler did not specifically show his requests were processed at a rate of memory as claimed. However, Sakugawa disclosed a system for processing requests where a memory controller 2 is shifted to the waiting state in response to the memory access request from a cup [CPU] which was allowed to be operated at a low speed, the external device 32 which is to be operated at a high speed must wait for a period equivalent to the waiting time of the memory controller 2 (see the waiting period of the memory controller in col. 3, lines 1-14, col.5 lines 5-46, see also col.7, lines 5-25). It would have been obvious to one of ordinary skill in the art to use Sakugawa in Wandler for processing the request at a memory rate as claimed because the use of Sakugawa could provide Wandler the processing capability to accept different rate of a predetermined memory device, and it could be achieved by defining the memory control parameters of Sakugawa, such as memory width, and read/write cycles, into Wandler, such that the memory requests at a predetermined memory rate could be recognized by Wandler, and because one of ordinary skill in the art should be able to recognize the need of processing the requests at a memory rate as Wandler also taught a retrying cycle for read/write requests if the memory was busy (e.g. see col.3, lines 22-30) which was a suggestion of processing the request at the speed condition of the memory, and thereby allowing the bus to be freed for other access cycles, and for the above reasons, provided a motivation.
- 5. As to claim 2, Wandler also included at least:
 a)integrating he south bridge on the substrate with CPU and north bridge (e.g. see PCI bus in fig.2, see also col.6, lines 5-7 for integrating the north bridge into CPU);

Art Unit: 2183

b)buffering the requests in the north bridge (e.g. see the request received by north bridge from south bridge in col.12, lines 11-13, col.13, lines 26-43) from south bridge.

- 6. As to claim 3, Wandler s north bridge [50], CPU and the memory were also integrated on a substrate (e.g. see the integrated feature of the north bridge 50 to memory and CPU in col. 6, lines 1-27).
- 7. As to claim 4, Wandler also included graphic controller [60] for requesting data to the north bridge at graphic controller's rate (e.g. see the rapid retrieval of he data in col.6, lines 28-52).
- 8. As to claim 14, Wandler also included at least:
- a) memory that is contained in substrate [10] (see fig.2);
- b)north bridge [50] operable coupled to interface with memory [75], wherein the north bridge included a memory access request buffer (see fig.4) interoperable coupled with a memory controller [504] (fig.4), wherein the memory access request buffer received memory access request (e.g. see the read/write queues 508 510 in col.11, lines 60-67, col.12, lines 1-10), wherein the memory controller retrieve the request from the buffer (e.g. see the read/write queues 508, 510,512,514 in col.11, lines 60-67, col.12, lines 1-10) and processed the request;
- c)memory bus [27] coupled to the north bridge [50] (e.g. see fig.4).
- 9. Wandler did not specifically show retrieving the request at the memory rate as claimed. However, Sakugawa disclosed a system for processing requests where a memory controller 2 is shifted to the waiting state in response to the memory access

Art Unit: 2183

request from a cpu [CPU] which was allowed to be operated at a low speed, the external device 32 which is to be operated at a high speed must wait for a period equivalent to the waiting time of the memory controller 2 (see the waiting period of the memory controller in col. 3, lines 1-14, col.5 lines 5-46, see also col.7, lines 5-25). The reasons of obviousness which are applicable to both claims 1 and 14 have been given in paragraph # 4 above, therefore, it will not be repeated herein.

- 10. As to claim 18, Wandler also included PCI bus (e.g. see fig.2 PCI).
- 11. As to claim 19, Wandler also included a device bus (e.g. see fig.2 connection to peripheral device).
- 12. As to claim 29, Wandler also buffering the request by the north bridge 50 from south bridge (see fig.4).
- 13. As to claim 30, Wandler also integrating the CPU, north bridge and south bridge (see PCI bus in fig.2, see also col.6, lines 5-7 for integrating the north bridge into CPU).
- 14. As to claim 31, Wandler also included graphic controller [60] for requesting data to the north bridge at graphic controller's rate (e.g. see the rapid retrieval of he data in col.6, lines 28-52).
- 15. Claims 5,6, 32,33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wandler et al. (5,991,833) in view of Sakugawa et al. (6,684,278) as applied to claim 1 and clam 28 above, and further in view of Onishi et al. (5,845,329).
- 16. As to claims, 5,6, 32,33, neither Wandler nor Sakugawa specifically show the translation of the virtual to physical address of the request as claimed. However, Onishi

Art Unit: 2183

disclosed a system translating a virtual address into physical address of a memory request (e.g. see col.10, lines 4-13). It would have been obvious to one of ordinary skill in the art o use Onishi in Wandler for translating the virtual and physical address as claimed because the use of Onishi could enhance the processing capability of Wandler to adjust to particular requirements of the memory access at a predetermined format, such as virtual and physical addresses, and it could be readily done by predefining the translation variables, such as address range of the read/write operation, of Onishi into Wandler configuration file such that the mapping of the virtual and physical addresses could be recognized by Wandler, and because one of ordinary skill in the art should be able to recognize the need for converting the virtual and physical addresses as Wandler also taught that his memory was a DRAM type memory (col.6, lines 21-27), which was a storage of a physical address array, and in doing so, provided a motivation.

- 17. Wandler et al. (5,991,833) and Onishi et al. (5,845,329) were cited to applicant in a previous office action, therefore, copies of these patent are not provided herein.
- 18. claims 7-13, 20-27 would be allowable over the art of record for specifically showing the combined features of the functional elements of the instruction module, cache modules, decoder and phase locked loop and the memory access request received from the central processing unit at operational rate of the central processing unit and the memory access request received from the request buffer at the memory rate, the memory access request when information relating to executing one of the

Art Unit: 2183

operational instructions was not stored in the data module or the instruction module and the north bridge for the operating rate of the central processing unit and for the operating rate of the memory.

19. Claims 15-17 are objected for being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. None of the prior art of record further teaches the combined elements of the data module, instruction module, phase locked loop, the request issued at the operating rate of the CPU, the memory access request when information relating to executing one of the operational instructions was not stored in the data module or the instruction module and the north bridge at the operating rate of central processing unit.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dan Pan whose telephone number is 703 305 9696, or the new number 571 272 4172. The examiner can normally be reached on M-F from 8:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chan, can be reached on 703 305 9712, or the new number 571 272 4162. The fax phone number for the organization where this application or proceeding is assigned is 703 306 5404.

Application/Control Number: 09/471,877 Page 8

Art Unit: 2183

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

21 Century Strategic Plan